


# DYNAPAC

## LT600 Vibratory Rammer



### Technical data



Dimensions (mm)	9"	11"
W <sub>1</sub>	230	280
W <sub>2</sub>	395	395
L <sub>1</sub>	330	330
L <sub>2</sub>	680	680
H	1074	1074


Weight	9"	11"
Net weight, kg	63	64
Operating weight CECE, kg	64	65

Engine	9"	11"
Manufacturer	Honda	Honda
Type	GX100	GX100
Starting system	Recoil	Recoil
Fuel	Petrol	Petrol
Output kW/rpm	2,2/3600	2,2/3600
Fuel tank capacity, l	2,5	2,5
Fuel consumption, l/h	0,7	0,7

Compaction	9"	11"
Frequency, Hz	12	12
Stroke height, mm	65-75	65-75
Impact force, kN/blow	14,8	14,8
Working speed, m/min	15-18	15-18

### Compaction data

No of passes  
Compaction requirement



Depth, m  
Recommended layer thickness

Source: Dynapac Int. High Comp Centre

Dynapac Compaction Equipment AB, Box 504, SE-371 23 Karlskrona, Sweden, Tel: +46 455 30 60 00, Fax: +46 455 30 60 30

We reserve the right to change specifications without notice. Photos and illustrations do not always show standard versions of machines.  
The above information is a general description only, is not guaranteed and contains no warranties of any kind.

www.dynapac.com